

Contract Period: March 31, 2008 to February 28, 2009

<p align="center"><b>SUPPLIER: Payless Concrete</b>  <b>Phone: 816-232-8855</b>  <b>Fax: 816-617-5000</b></p>							
<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>	<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	96.75	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	106.80
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	108.75	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	112.80
		1 % Calcium	2.00			1 % Calcium	2.00
		2 % Calcium	4.00			2 % Calcium	4.00
		Hot Water Charge	4.00			Hot Water Charge	4.00
		Short Load Charge Under 2 yds	40.00			Short Load Charge Under 2 yds	40.00
		Mileage Other Charges	3.00			Mileage Other Charges	3.00
Comments: Mileage \$3.00 per loaded mile outside St. Joseph city limits.							
<p align="center"><b>SUPPLIER: Cameron Concrete</b>  <b>Phone: 816-632-3683</b>  <b>Fax: 816-232-0365</b></p>							
<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>	<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	99.75	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	109.80
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	107.75	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	117.80
		1 % Calcium	2.00			1 % Calcium	2.00
		2 % Calcium	4.00			2 % Calcium	4.00
		*Hot Water Charge	4.00			*Hot Water Charge	4.00
		Short Load Charge Under 2 yds	40.00			Short Load Charge Under 2 yds	40.00
		Mileage Other Charges	3.00			Mileage Other Charges	3.00
Comments: Mileage \$3.00 per loaded mile outside city limits. *Hot Water – Nov. 1 to April 1							

**SUPPLIER: Loch Sand and Construction**  
**Phone: 660-562-3100**  
**Fax: 660-562-2481**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	106.00	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	118.00
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium	2.40			1 % Calcium	2.40
		2 % Calcium	4.60			2 % Calcium	4.60
		Hot Water Charge	4.50			Hot Water Charge	4.50
		Short Load Charge Under 3 yds	46.00			Short Load Charge Under 3 yds	46.00
		Mileage Other Charges				Mileage Other Charges	

Comments:

**SUPPLIER: Wahoo Concrete Products**  
**Phone: 660-425-7776**  
**Fax: 660-425-7778**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	108.00	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium				1 % Calcium	
		2 % Calcium				2 % Calcium	
		Hot Water Charge				Hot Water Charge	
		4 YDS Short Load Charge	30.00 PLUS 2.50 PER MI			Short Load Charge Under 4 yds	
		Mileage OVER 4 YDS Other Charges	2.50 PER MI			Mileage Other Charges	

Comments:

TRENTON AND BETHANY

**SUPPLIER: Pierce Concrete**  
**Phone: 660-783-2300**  
**Fax: 660-783-2300**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	120.00	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	130.00
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium	2.50 cuyd			1 % Calcium	2.50 cuyd
		2 % Calcium	5.00 cuyd			2 % Calcium	5.00 cuyd
		Hot Water Charge	6.00 cuyd			Hot Water Charge	6.00 cuyd
		Short Load Charge Under 3 cuys	40.00 cuyd			Short Load Charge Under 3 cuys	40.00 cuyd
		Mileage Other Charges	Distance 5.00-10.00			Mileage Other Charges	Distance 5.00-10.00

Comments:

**SUPPLIER: Builders Choice**  
**Phone: 816-232-2505**  
**Fax: 816-232-5079**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	98.53	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	100.61
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	N/A	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	N/A
		1 % Calcium	2.00			1 % Calcium	2.00
		2 % Calcium	4.00			2 % Calcium	4.00
		Hot Water Charge	4.00			Hot Water Charge	4.00
		Short Load Charge Under 4 yds	45.00			Short Load Charge Under 4 yds	45.00
		Mileage Other Charges	2.75/mile outside city limits			Mileage Other Charges	2.75/mile outside city limits

Comments:

**SUPPLIER: Holt County Ready Mix , Mound City**  
**Phone: 660-442-5856 Cell: 660-373-1420**  
**Fax: 660-442-5856**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	94.50	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	97.00
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium	10.91 Gal			1 % Calcium	10.91 Gal
		2 % Calcium	21.82 Gal			2 % Calcium	21.82 Gal
		Hot Water Charge	Unavailable			Hot Water Charge	Unavailable
		Short Load Charge Under 4 yds	30.00			Short Load Charge Under 4 yds	30.00
		Mileage Other Charges	2.75/ loaded mile			Mileage Other Charges	2.75/ loaded mile

Comments:

**SUPPLIER: Green Ready Mix of Missouri, Inc. (Hamilton)**  
**Phone: 660-646-1260 Cell: 660-247-2043**  
**Fax: 660-646-5627**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	96.40	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium	2.50			1 % Calcium	
		2 % Calcium	5.00			2 % Calcium	
		Hot Water Charge	4.00			Hot Water Charge	
		Short Load Charge Depends on location	50.00			Short Load Charge Under 4 yds	
		Mileage Other Charges				Mileage Other Charges	

Comments:

**NOTE: DON'T HAVE TYPE III CONCRETE.**

**Revised  
April 11, 2008**